

Dynapro

DEEP WELL VERTICAL TURBINE PUMP



Model Reference
www.dynaproco.com

DYNAPRO 
Optimum pump systems for life

100% Interchangeable with the OEM

Bowl Size	Bowl Diameter (mm)	Dynapro Model	Goulds Model	Rated Flow (m ³ /h)	Single Stage Rated Head (m)
4"	95	D-100LJC10-4	/	10	4
5"	133	D-150LJC10-9	55N13	10	9
6"	152	D-150LJC20-11	6CELC	20	11
		D-150LJC30-12.5	6CLC	30	12.5
		D-150LJC40-13.5	/	40	13.5
		D-150LJC50-13	6CHC	50	13
7"	181	D-200LJC60-20	7CLC	60	20
		D-200LJC80-22.5	7CHC	80	22.5
8"	190	D-200LJC90-20	8RJLC	90	20
		D-200LJC125-18	8RJHC	125	18
10"	242	D-250LJC130-8.5	10RJHC	130	8.5
12"	295	D-300LJC160-11.5	12RJLC	160	11.5
		D-300LJC185-12	12RJMC	185	12
		D-300LJC220-13.5	12RJHC	220	13.5
14"	340	D-350LJC300-15	14RJLC	300	15
		D-350LJC370-16	14RJMC	370	16
		D-350LJC400-18	14RJHC	400	18
16"	409	D-400LJC450-30	16BHC	450	30
		D-400LJC550-27	16DMC	550	27
18"	451	D-450LJC650-32	18BHC	650	32
		D-450LJC900-30	18DMC	900	30
20"	481	D-500LJC900-29	20ELC	1000	29
		D-500LJC1250-30	20EHC	1250	30
20"	540	D-500LJC2000-31	20GHX	2000	31

Vertical Turbine Pump Reference



SUDBURY, CANADÁ
TORONTO, CANADÁ

EL PASO, TEXAS, USA

HERMOSILLO, SONORA,
MÉXICO



www.dynaproco.com

sales@dynaproco.com | info@dynaproco.com



Professional Engineers
Ontario

